

Issued: Sept. 28, 2023 Supersedes: May 20, 2020

706M

## TIMBERGUARD™ WOOD FLOOR FINISH

**Product Number:** 

#### 1: PRODUCT AND COMPANY IDENTIFICATION

<u>Product Name:</u> TimberGuard Wood Floor Finish- Super Matte

TimberGuard Wood Floor Finish - Satin 706S
TimberGuard Wood Floor Finish - Semi-Gloss 706SG
TimberGuard Wood Floor Finish - High Gloss 706HG

Recommended Use: 1K Water-based floor finish with AMP AntiMicrobial Protection

Ready to Use.

Product intended for commercial and industrial use only.

Uses Advised Against: Other than per labelled instructions

**Manufacturer Address:** 

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

**FOR CHEMICAL EMERGENCY:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

#### 2: HAZARDS IDENTIFICATION

Classification: Reproductive Toxicant - Category 1B

Signal Word: DANGER

Pictogram:



### **Hazard Statements:**

May damage fertility or the unborn child.

#### **Precautionary Statements:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection and face protection.

If exposed or concerned: Get medical advice/attention.

Store locked up

Dispose of contents/container in accordance with local, regional, national, international regulation.

Other Hazards: None known
Supplemental Information: None known

### 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Weight % *
diethylene glycol monoethyl ether	111-90-0	3 - 7
n-methyl-2-pyrrolidone	872-50-4	1 - < 5

<sup>\*</sup> Exact concentration of the ingredients has been withheld as a trade secret.

### 4: FIRST AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

Eye Contact: Rinse with plenty of water. If irritation develops and persists, seek medical attention.

**Skin Contact:** Wash with soap and plenty of water. If irritation develops and persists, seek medical attention.

**Inhalation:** If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.

**Ingestion:** If ingested, do not induce vomiting. Seek medical attention.



Issued: Sept. 28, 2023 Supersedes: May 20, 2020

## TIMBERGUARD™ WOOD FLOOR FINISH

### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact: None expected under normal use.

Skin Contact: None expected under normal use.

Inhalation: None expected under normal use.

Ingestion: None expected under normal use.

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

5: FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing media:</u> Dry Chemical, water spray, foam, carbon dioxide Specific Hazards: Materials can splatter above 212 °F / 100 °C

Protective Equipment and Precautions: No special fire fighting procedures recommended. Follow all general fire

safety guidelines.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Put on personal protective equipment (see Section 8). Keep spectators away. Floors

may be slippery: use care to avoid falling.

**Environment Precautions:** Keep spills and cleaning run-off out of sewers and open bodies of water.

**CONTAINMENT AND CLEAN-UP** 

Small Spills: Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance

with local, state and federal regulations.

Large Spills: Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery

or disposal and solid diking material to separate containers for disposal.

Waste Disposal: Landfill or incinerate the contaminated solids and diking material in accordance with local, state and

federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with

local, state and federal regulations.

7: HANDLING AND STORAGE

Precautions for Safe Handling: Avoid exposure during pregnancy. Avoid contact with eyes, skin and clothing. Wash

thoroughly after handling. Use in well-ventilated areas. Use only with adequate

ventilation and personal protection.

Conditions for Safe Storage: Storage temperature ( Max. 60°C/140°F - Min. 1°C/34°F). Store locked up

Other Information: Keep from freezing. Keep container sealed when not in use. Keep out of reach of

children.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: None

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness

of ventilation and other control measures.

Personal Protective Equipment (PPE)

**Eye/Face Protection:** Wear eye protection.

**Skin Protection:** Wear chemical resistant gloves.

Respiratory Protection: Respiratory protection should be worn when there is a potential of inadequate ventilation. If

exposure limits are exceeded or symptoms are experienced, use an approved respirator.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: milky, white liquid Odor: characteristic
Odor Threshold: data not available

**pH:** 7.7





Issued: Sept. 28, 2023 Supersedes: May 20, 2020

## TIMBERGUARD™ WOOD FLOOR FINISH

Freezing Point:data not availableBoiling Point:data not availableFlash Point:>200 °F / >93 °CEvaporation Rate:less than water

Flammability (solid/gas): not applicable to liquids
Upper/Lower Flammability limits: data not available
Vapor Pressure: data not available
Vapor Density: data not available

**Relative Density:** 8.6 lb/gal @ 68°F / 1.03 kg/l @ 20°C

Solubility:miscible in waterPartition Coefficient:data not availableAuto Ignition temperature:data not availableDecomposition Temperature:data not available

Viscosity: < 100 centipoise @ 68 °F (20 °C)

**VOC**: < 275 g/L

### 10: STABILITY AND REACTIVITY

Reactivity:Not reactive under normal conditionsStability:Stable under normal conditions

Hazardous reactions: None known Conditions to avoid: None known

<u>Incompatible materials:</u> Do not mix with other chemicals unless stated on the product label.

Hazardous decomposition products: None known

### 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Toxicity testing has not been completed on the mixture.

Based on available data, classification criteria are not met.

**LOCAL EFFECTS** 

Skin contact: May cause mild irritation.

Eye contact: May cause mild irritation.

Sensitization: None expected Chronic effects: None expected

**SPECIFIC EFFECTS** 

Carcinogenicity: None known

Reproductive effects: Classified as Reproductive Toxicant- Category 1B\*

**Teratogenicity:** May damage the unborn child.

Mutagenicity: None known

#### COMPONENT INFORMATION

Component	LD50 Oral- Rat (mg/kg)	LD50 Dermal - Rabbit (µl/kg)	LC50 Inhalation- Rat (mg/l )
diethylene glycol monoethyl ether	1920	4200	>5240
n-methyl-2-pyrrolidone	< 5000	> 5000	> 40, 4 hr

#### Carcinogenicity:

Component	CAS#	IARC
sodium o-phenylphenate	132-27-4	2B

#### 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Ecological testing has not been completed on the mixture.

Persistence and Degradability:Data not available.Bioaccumulative Potential:Data not available.Mobility in Soil:Data not available.Other Adverse Effects:Data not available.





Issued: Sept. 28, 2023 Supersedes: May 20, 2020

## TIMBERGUARD™ WOOD FLOOR FINISH

#### 13: DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, regional and national regulations.

#### 14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation.

#### 15: REGULATORY INFORMATION

#### U.S. REGULATIONS/REPORTING:

Ingredient	CAS Number	SARA 302/304	SARA 313	CERCLA
diethylene glycol monoethyl ether	111-90-0	not listed	present*	***
n-methyl-2-pyrrolidone	872-50-4	not listed	present	not listed

#### **STATE RIGHT-TO-KNOW STATUS:**

Ingredient	CAS Number	MA - RTK	NJ - RTK	PA - RTK	RI - RTK
diethylene glycol monoethyl ether	111-90-0	not listed	not listed	present*	not listed
n-methyl-2-pyrrolidone	872-50-4	present	present	present	present

#### **CALIFORNIA PROPOSITION 65:**

**WARNING:** This product can expose you to n-Methylpyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**WARNING:** This product can expose you to Sodium o-phenylphenate, which is known to the State of California to cause cancer For more information go to www.P65Warnings.ca.gov.

Ingredient	CAS Number	Weight %
n-Methylpyrrolidone	872-50-4	< 5%
Sodium o-phenylphenate	132-27-4	< 0.1%

#### **CANADA REGULATIONS/REPORTING:**

This product has been classified in accordance with the hazard criteria of the Hazardous Product Regulation (HPR) and the SDS contains the information required by the HPR.

#### **16: OTHER INFORMATION**

#### **Abbreviations Used:**

2B Substance is possibly carcinogenic to humans (IARC)

CAS Chemical Abstract Service Number

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

IARC International Agency for Research on Cancer

LC50 Median Lethal Concentration

LD50 Median Lethal Dose


OSHA Occupational Safety and Health Administration SARA Superfund Amendments and Reauthorization Act

\* Listed as generic class Glycol Ethers

\*\*\* No RQ assigned, CERCLA hazardous substance

#### **Revision Information:**

Sept. 28, 2023 - Revisions § 1, 3, 8, 9, 15 & 16







Issued: Sept. 28, 2023 Supersedes: May 20, 2020

## TIMBERGUARD™ WOOD FLOOR FINISH

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

\*\*IMPORTANT SAFETY INFORMATION\*\*DO NOT DISCARD\*\*PLEASE ROUTE TO COMPANY SAFETY OFFICER\*\*